



Omya International AG
P.O. Box
CH-4665 Oftringen
+41 62 789 29 29
+41 62 789 20 77
www.omya.com

Omyasphere 213 T - FQ

PRODUCTION SITE: SANTA CATARINA, Mexico

SHORT DESCRIPTION OF THE PRODUCT: Lightweight filler (LWF) based on closed-cell expanded perlite with low apparent density and high, constant brightness as well as hydrophobic behavior.

SPECIFIC PRODUCT DATA:


Fineness: ¹		
• Top cut (d98%, Omya LTM 206)	130	µm
• Median particle size (d50%, Omya LTM 206)	45	µm
Optical properties:		
• CIE L*, a*, b* (ISO 11664/4)	84/ 2.5/ 4.8	
Moisture ex works (PET-CC-055)	0.7	%

GENERAL PRODUCT DATA:

Loose bulk density (PET-CC-003)	0.13	g/ml
Hydrophobicity treatment (Omya GLS 203)	210	ml

MAIN APPLICATIONS:
Ready to Use Systems
Paints & Coatings
Adhesives & Sealants

PARTICLE MORPHOLOGY (Scanning Electron Microscopy (SEM)):



100 µm

STANDARD PACKAGING:

- BAG (paper) palletized
- BIG BAG palletized

The information contained in this Product Information Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information provided herein is based on technical data that Omya believes to be reliable, however Omya makes no representation or warranty as to the completeness or accuracy thereof and Omya assumes no liability resulting from its use or for any claims, losses, or damages of any third party. Recipients receiving this information must exercise their own judgement as to the appropriateness of its use, and it is the user's responsibility to assess the material's suitability (including safety) for a particular purpose prior to such use.